

Name



NO EMAIL ORDERS

PLEASE

Date

Postal Code Land Location City/Town Box / RR No. Phone

D P/U at Hatchery D Mail Ship Direct Via:

Dealer/Destination

QUANTITY	DESCRIPTION	SEX	PRICE	AMOUNT	
					1.1
NO GST	FREIGHT/ DELIVERY / POSTAGE & HANDLING	AGE & HANDLING	(5		
ON BIRDS	GST WILL BE ADDED TO FREIGHT/SUPPLIES/MEDICATION 5% GST	UPPLIES/MEDICATI	ON 5% GST		
We accept Visa, Maste	We accept Visa, MasterCard, Debit Card, cheques or cash		TOTAL		
PLEASE GIVE		20% DEPOSIT ENCLOSED	ENCLOSED		-
CHICKS REQUIRED			BALANCE		

YOUR ORDER WILL RECEIVE OUR PROMPT AND COURTEOUS ATTENTION

A DEPOSIT of 20% will book your order, and the balance must be paid two weeks before date of delivery. 5% GST WILL BE ADDED TO FREIGHT/SUPPLIES/MEDICATIONS. CODE: SEX = P-PULLETS ----- Clip Along This Line -----Postage and Handling Charge: Your order of day old chicks can be Parcel Post Service

C - COCKERELS U - UNSEXED MINIMUM SHIP QUANTITIES 20 BIRDS TOTAL 25-99 Chicks \$28.00 Minimum 100 Chicks \$28.00 Additional Boxes \$13.00 Each Day Old Chicks and Poults Only. Add GST to Shipping Charges. SHIPPING RATES SUBJECT TO CHANGE. Orders must be paid in full two weeks prior shipped via parcel post throughout Saskatchewan from March to October. 100% live arrival guaranteed.

TO AVOID CHILLING, MAIL ORDERS MUST TOTAL 20 OR MORE CHICKS/POULTS.

to shipping.

"Anstey's Guarantee 100% live arrival provided shipment after the received when received when received and you loss in such a report signed by the transporter or his agent, velations for chick losses must be received within 10 days after dailyour of chick. Takess nowe 10% of any one bread must be accommised by a



۲

A Message To Our Cu We are very proud to be ce

elebrati

Generation A

Calculute 2

poultry business. For i remained a family bus ity chi

2022

g you with

Autoria	2022 PRICES	Connection allow Connection	and the
Connect Giant Cornish Cross	the second	generation rise generation Celebrating	TIO:
 Capable of converting 1 lb of meat bird of Choice Capable of converting 1 lb of meat on less than 2 lbs of feed. Ranid maturing Roasters at 8 weeks or more 	Malley Hatchery		
 Cockerels mature to 12 lbs. Pullets 8 lbs live weight. Broad breasted and meaty thighs. 	 "The Home of Quality & Service" VISA (Instance) Visit us at: www.ansteyhatchery.ca 	y.ca	
 Outstanding fryer at 6 weeks. Pullets can be butchered for Cornish Game Hens at 4 weeks. 	Breed Description of Breed	1-24 25-49 50-99 100+	+00
NOTE: Feeding and Management Information will be supplied with each order of Cornish Cross Chicks. *We DO NOT beak trim or mareks veccinate Cornish Cross chicks Special quantity discounts on 500 or over.	B S	4.44 3.94 3.79 Available March to Octo Day Old Only	3.69 er
Egg Layers	BROWN One of the finest Brown Egg Layers. Pullets EGG Very calm disposition. Pullets weigh 4.51bs. Pullets LAYERS Attractive red with white feathering. Pullets ISA MV/BT Services included Services included	4.54 4.04 3.89 Available March to Octol Day Old Only	3.79 ber
Peak Performance or Shell Quality eed Consumption ved Quiet Disposition	ANSTEY'S The meat bird of choice. A heavy meat CORNISH producer capable of converting one pound of meat on less than two pounds of feed. Rapid maturing with proper feed management with roasters available at 8 weeks or more, and fryers at 6 weeks. Note: We DO NOT MV/BT Cornish Cross	3.61 3.03 2.88 OLD AS UNSEXED ONLY Available All Year Round Day Old Only	2.76
Production Cycle ite egg layers are beak trimmed and mareks vaccinated	NICHOLAS WHITE A white turkey with superior in lots of: TURKEY POULTS feed conversion. Rapid Price per poult growing with high meat yield. Sold as unsexed only.	1-9 10-24 25-49 50-99 7.25 6.65 6.35 6.20 Day Old Only	20
vn Egg Layers ssive ProductionImpressive Looking	PEKIN DUCKS 8.95 each Ava EMBDEN GOSLINGS 10.95 each Ava	Available Mid April - Mid June	1.1
of the finest brown egg layers available	PRICING SUBJECT TO CHANGE WITHOUT NOTICE	THOUT NOTICE	
large brown eggs with strong shells and excellent interior quality	QUANTITY DISCOUNT - 500 AND OVER - PHONE US FOR PRICES PICK UP DAYS - WEDNESDAY AND FRIDAY AT HATCHERY	HONE US FOR PRICES DAY AT HATCHERY	
ts weigh up to 4.5 lbs. live to the red with white feathering	PLEASE BOOK YOUR ORDER EARLY	DER EARLY	
I brown egg layers are beak trimmed and mareks vaccinated	Spring Hatches March - June	-June	
hite Poults	ONLY DAY OLD CHICKS & POULTS AVAILABLE	JLTS AVAILABLE	
ults With:	We prefer at least 4 weeks advanced notice on orders.	MINIMUM PICK-UP QUANTITIES 12 TOTAL BIRDS	10
rd Unexcelled version	Please contact us if not ordered within this time frame as we can often supply on a shorter notice in the spring.	MINIMUM SHIPPING QUANTITIES	
	DI FASE ENI I OW COVID GIJIDI INES END DICKIJD	Breed	
tion	MASKS MUST BE WORN - PLEASE SANITIZE	Chicks & Turkeys 20 Chicks Only 20	1
Nicholas White Hens can weigh 18 lbs. by 16 weeks Nicholas White Toms can weigh 40 lbs. by 20 weeks	All prices are F.O.B. Hatchery and are subject to change without notice.		
TMENTS ON ORDERS LESS THAN 10 POULTS.	Terms and Conditions: A DEPOSIT of 20% will book your order, and the balance must be paid no later than two weeks before date of delivery. We accept Visa, MasterCard, Debit Card, cheques or cash.	d the balance must be paid no later d, Debit Card, cheques or cash.	1

NO ADJUSTMENTS ON ORDERS LESS THAN 101

Nicholas White Poults

Top Quality Poults With:

NOTE: All brown egg layers are beak trimmed and mi

* Attractive red with white feathering

k Performance Record Unexcelled Superior Feed Conversion **High Livability**

- Splendid Conformation
- * Rapid Growth
- * High Meat Yield


Performance...Year Round White Egg Layers

Please Book 4 Weeks **Before Hatch Date**

MEAT BIRDS

- ★ High Peak Performance
 - ★ Superior Shell Quality
- ★ Low Feed Consumption
- Improved Quiet Disposition
 - * White Feathering
- ★ Long Production Cycle

NOTE: All white egg layers are beak trimmed and mareks



Brown Egg Layers



Important Information for Raising Cornish Cross

DAY'S OLD	LIGHT	TEMPERATURE	FEED
0-4	24 hour	90º F/33º C (2" off floor)	20% Chick starter (fine crumbs) - 24 hour period.
4 - 21	24 hour dim light from infrared heat lamp only. (You should not be able to read a newspaper). **Increase light slightly during feeding time.	Reduce 5° F/3° C per week by raising heat lamp.	20% Chick starter up to 6 hours feeding time in 24 period (3hrs AM / 3hrs PM). NOTE: DO NOT RESTRICT WATER
21 plus	16 hours dim light. If heat not required 4-8 hours of darkness each night.	70° F/21°C is a comfortable temperature to maintain after 4 weeks of age.	16% grower ration - complete ration. <u>OR</u> Mix 35% supplement - 4 parts grain to 1 part supplement to make a 16% protein ration.

**IT IS MOST IMPORTANT TO RESTRICT THE FEED WHEN RAISING CORNISH CROSS BIRDS WILL BE MORE ACTIVE AND HEALTHY ON A RESTRICTED FEEDING PROGRAM

IMPORTANT INFORMATION IN RAISING MOST VARIETIES OF CHICKS

HEAT – The correct temperature is of utmost importance to start your chicks off healthy and strong. A 175 - 250 watt infrared heat bulb hung 18" above the floor works well. It also provides light to prevent piling. Allow 1 infrared heat bulb for every 50 chicks. DO NOT USE A RUBBERMAID TUB FOR BROODING, chicks need space for movement towards and away from heat.

ТОО НОТ ТОО СОLD

Days (F°) Temp (C°)			
1-7	89 - 91	31 - 33	
8-14	80 - 83	27 - 29	
15-21	75 - 78	24 - 27	
22-28	72 - 75	22 - 24	
29-38	68 - 71	20 - 22	
39+	65 - 68	19 - 20	

TEMP	ERATURE S	CHEDULE
Days	(F°) Te	mp (C°)
1-7	90 - 95	33 - 35
8-14	85 - 90	30 - 33
15-21	80 - 85	27 - 30
22-28	75 - 80	24 - 27
29-38	70 - 75	21 - 24
35+	65 - 70	19-21

RAFT)

21641

FEED – Use chick starter for 3 weeks. Have feeders filled before chicks arrive. Plan on 1 inch of feeder space for each chick. One 3' feeder will handle 75 chicks. Remember, good nutrition and management are an important consideration in raising strong healthy chicks. When Chicks are 1 week old move feeders & waterers apart from each other a bit at at time until they are at least 4 - 5 feet apart.

LITTER – Straw or wood shavings make excellent litter at approximately 3 inches deep. Chilling can be caused by not enough floor insulation. It is best to add litter rather than change it as this can stir up dust and affect air quality.

FLOOR SPACE - Provide approximately 1 sq. ft. per bird. Use 18 inch chick guard in a circle to eliminate crowding in the corners, and also to reduce drafts.

WATER – Clean, fresh water is of utmost importance, have waterers filled 24 hours before chicks arrive. Plan on 2 one gallon waterers for each 100 chicks. Add Poulvite+Biotin at 1 tsp/gal for the first 4-5 days, and vitamins throughout the growing period. Water makes up to 60-70% of the chicken. A chicken will consume double the water than food intake.

VENTILATION - Ventilation is important from the first day. Chicks need fresh warm air. When proper ventilation is provided it will regulate carbon dioxide and ammonia levels as well as keeping the floor drier and the chicks healthier.

We trust that your following the above points with Tender Loving Care will give you the desired results in raising your flock of Anstey

chicks. FOR MORE INFORMATION VISIT OUR WEBSITE AT: www.ansteyhatchery.ca

POULTRY HEALTH BASICS

Anstey Hatchery Ltd. takes all precautions for a disease free environment. Bio-security is of utmost importance. Have a Bio-security program in place to protect against disease.

- · Clean and disinfect all buildings and poultry equipment prior to placing birds. (see Cleaning and Disinfecting).
- · Use clean dry litter.
- · Limit access to poultry houses and wear clean footwear and clothing.
- Use foot baths when entering poultry houses. Many diseases are spread directly from bird to bird through secretions and feces, and indirectly through contaminated feed, water, and equipment.
- Maintain high sanitation standards in and around poultry houses.
- · Have rodent and insect control: seal all openings and cover ventilation areas with screens.

CLEANING & DISINFECTING

Your chicks at Anstey's have come from a very clean and sterile environment. We recommend cleaning and disinfecting procedures be used to ensure healthy, happy chicks. It is impossible to disinfect dirt, dirt harbours microorganisms. Cleaning is the entire removal of dirt, followed by a thorough disinfecting. An equal amount of bleach and water is recommended or use a disinfectant cleaner recommended for poultry buildings.